Revision: 01-2011

Ref:sd442_EnaWhitePower GB.pdf

I Identification of substance:

- · Product details:
- · Trade name: EnaWhite Power
- · Article number: COSM035...
- · Application of the substance / the preparation see point 3
- · Manufacturer/Supplier:

Micerium spa., Via G. Marconi, 83 - 16036 Avegno (GE), Italy, Tel.: +39-0185-7887870, Fax: +39-0185-7887970

- · Information in case of emergency: Poison Control Center San Martino Hospital (Genoa, Italy)
- · Tel:+39-010-352808(available 24 hours/24)

2 Hazards identification

· Hazard description:



C Corrosive

· Information concerning to particular hazards to man and environment

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

R 22 Harmful if swallowed.

R 35 Causes severe burns.

R 37 Irritating to respiratory system.

· Classification system

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

· GHS label elements



Danger

H272 - May intensify fire; oxidiser.



Danger

H314 - Causes severe skin burns and eye damage.



Warning

H302 - Harmful if swallowed.

H335+H336 - May cause respiratory irritation. May cause drowsiness or dizziness.

· Prevention:

P221 Take any precaution to avoid mixing with combustibles.

· Response:

P303+P361+P353 IF ON SKIN (or hair): Remove/Take offimmediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310

Immediately call a POISON CENTER or doctor/physician.

· Storage:

P405 Store locked up.

(Contd. on page 2)

Revision: 01-2011

Ref:sd442_EnaWhitePower_GB.pdf

Trade name: EnaWhite Power

· Disposal:

(Contd. of page 1)

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition/information on ingredients

- · Chemical characterization
- · Description: Dental-bleaching based on hydrogen-peroxide

CAS: 7722-84-1 EINECS: 231-765-0	hydrogen peroxide solution C, Xn, A O; R 8-20/22-34 Danger: 6 2.13/1; 3.2/1A Warning: 1 3.1.0/4, 3.1.1/4	25-50%
CAS: 1310-73-2 EINECS: 215-185-5	sodium hydroxide C; R 35 Danger: 3.2/1A	< 2.5%
CAS: 7757-79-1 EINECS: 231-818-8	potassium nitrate	< 2.5%

[·] Additional information For the wording of the listed risk phrases refer to section 16.

4 First aid measures

- · General information Immediately remove any clothing soiled by the product.
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact

Immediately rinse with water.

If skin irritation continues, consult a doctor.

- · After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

5 Fire fighting measures

· Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire extinguishing methods suitable to surrounding conditions.

- · For safety reasons unsuitable extinguishing agents Water with full jet.
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Person-related safety precautions: Wear protective equipment. Keep unprotected persons away.
- · Measures for environmental protection: Dilute with plenty of water.
- · Measures for cleaning/collecting:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 3)

Revision: 01-2011

Ref:sd442_EnaWhitePower GB.pdf

Trade name: EnaWhite Power

(Contd. of page 2)

Dispose contaminated material as waste according to item 13.

7 Handling and storage

- ·Handling
- · Information for safe handling: Ensure good ventilation/exhaustion at the workplace.
- · Information about fire and explosion protection: No special measures required.
- ·Storage
- Requirements to be met by storerooms and receptacles: Store in refrigerator.
- · Information about storage in one common storage facility:

Store away from flammable substances.

Store away from reducing agents.

Store away from metals.

· Further information about storage conditions:

Keep receptacle tightly sealed.

Protect from heat and direct sunlight.

Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting.

8 Exposure controls and personal protection gear

- · Additional information about design of technical facilities: No further data; see item 7.
- Ingredients with limit values that require monitoring at the workplace:

7722-84-1 hydrogen peroxide solution

OES Short-term value: 2.8 mg/m³, 2 ppm Long-term value: 1.4 mg/m³, 1 ppm

56-81-5 glycerol

OES Long-term value: 10 mg/m³

- · Additional information: The lists valid during the making were used as basis.
- · Personal protective equipment
- · General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- · Respiratory protection: Not required.
- · Protection of hands: Protective gloves.
- · Material of gloves

Butyl rubber, BR

Natural rubber, NR

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Tightly sealed goggles.
- · Body protection: Protective work clothing.

GB

Revision: 01-2011

Ref:sd442_EnaWhitePower_GB.pdf

Trade name: EnaWhite Power

(Contd. of page 3)

General Information		
Form:	Pasty	
Colour:	Red	
Odour:	Weak, characteristic	
Change in condition Melting point/Melting rang Boiling point/Boiling range		
Flash point:	Not applicable	
Ignition temperature:	400°C	
Self-igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Vapour pressure at 20°C:	23 hPa	
Density at 20°C:	1.2 g/cm³	
Solubility in / Miscibility wit Water:	h Fully miscible	Elist accord
pH-value at 20°C:	7.3	

10 Stability and reactivity

- · Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · Dangerous reactions

Reacts with various metals

Reacts with reducing agents

Reacts with catalysts

Acts as an oxidizing agent on organic materials such as wood, paper and fats

· Dangerous decomposition products: No dangerous decomposition products known

11 Toxicological information

- · Acute toxicity:
- · LD/LC50 values relevant for classification:

LD-50/dermal

> 2000 mg/kg rab

1310-73-2 sodium hydroxide

Oral LD50 2000 mg/kg

- · Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- · on the eye: Strong caustic effect.
- · Sensitization: No sensitizing effects known.

(Contd. on page 5)

Revision: 01-2011

Ref:sd442 EnaWhitePower GB.pdf

Trade name: EnaWhite Power

(Contd. of page 4)

· Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

Harmful

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

13 Disposal considerations

- · Product:
- · Recommendation

Must be specially treated adhering to official regulations.

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

· European waste catalogue

06 13 99 wastes not otherwise specified

- · Uncleaned packaging:
- · Recommendation:

Disposal must be made according to official regulations.

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper

Recommended cleansing agents: Water, if necessary together with cleansing agents.

14 Transport information

· Land transport ADR/RID (cross-border)





· ADR/RID class:

5.1 (OC1) Oxidising substances.

· Danger code (Kemler): -

· UN-Number: 3098

· Packaging group: · Hazard label

II

5.1 + 8

· Description of goods: 3098 OXIDIZING LIQUID, CORROSIVE, N.O.S. (HYDROGEN PEROXIDE,

AQUEOUS SOLUTION, STABILIZED, SODIUM HYDROXIDE)

· Maritime transport IMDG:





· IMDG Class:

5.1

· UN Number:

3098

·Label

5.1 + 8

· Packaging group:

II

(Contd. on page 6)

R: 01-2011

Ref:sd442_EnaWhitePower_GB.pdf

Trade name: EnaWhite Power

(Contd. of page 5)

· EMS Number:

F-A,S-Q

· Marine pollutant:

· Proper shipping name: OXIDIZING LIQUID, CORROSIVE, N.O.S. (HYDROGEN PEROXIDE,

AQUEOUS SOLUTION, STABILIZED, SODIUM HYDROXIDE)

· Air transport ICAO-TI and IATA-DGR:





· ICAO/IATA Class:

5.1

· UN/ID Number:

3098

·Label

5.1 + 8

· Packaging group:

II

· Proper shipping name: OXIDIZING LIQUID, CORROSIVE, N.O.S. (HYDROGEN PEROXIDE,

AQUEOUS SOLUTION, STABILIZED, SODIUM HYDROXIDE)

· UN "Model Regulation": UN3098, OXIDIZING LIQUID, CORROSIVE, N.O.S., 5.1 (8), II

15 Regulations

Labelling according to EU guidelines:

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials

· Code letter and hazard designation of product:

C Corrosive

· Hazard-determining components of labelling:

hydrogen peroxide solution sodium hydroxide

· Risk phrases:

22 Harmful if swallowed.

35 Causes severe burns.

37 Irritating to respiratory system.

· Safety phrases:

Keep away from combustible material. 17

20 When using do not eat or drink.

In case of contact with eyes, rinse immediately with plenty of water and seek medical 26

36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

In case of accident or if you feel unwell, seek medical advice immediately (show the label 45 where possible).

This material and its container must be disposed of as hazardous waste.

· National regulations

· Technical instructions (air):

Class	Share in %
NK	2,5-10

Revision:01-2011

Ref:sd442_EnaWhitePower_GB.pdf

Trade name: EnaWhite Power

(Contd. of page 6)

16 Other information:

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant R-phrases

20/22 Harmful by inhalation and if swallowed.

- 34 Causes burns.
- 35 Causes severe burns.
- 8 Contact with combustible material may cause fire.
- · Issued by MSDS: Micerium S.p.a.
- · Contact: Dr. Eugenio Miceli
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

* Data compared to the previous version altered.

GR